

Daikin *One* Lite
Connected Thermostat
Wireless Setup: Connecting to
Wi-Fi & Daikin One Cloud



## Disclaimer

This material provides technical information that is to only be used by appropriately trained and certified HVAC-R installers and technicians who have agreed to the terms and conditions available here at <a href="https://www.daikincity.com/DaikinCityB2BTermsOfUse.html">https://www.daikincity.com/DaikinCityB2BTermsOfUse.html</a>. If you have not agreed to these terms and conditions, you may not use or view this material, and you assume responsibility for any injury or property, system or equipment damage which may result. If you have agreed to these terms, you also agree, by viewing or using this material, that this material, by its nature, cannot include a discussion of everything necessary to effect a proper installation or repair of HVAC-R equipment, nor can it address every possible scenario or environment a technician or installer may encounter. Accordingly, this material should not be considered as recommendations for best practices and will not be considered installation or repair instructions to the extent of any conflict with Daikin- or Goodman-issued manuals and specifications, or industry standards and regulations. Each installer or technician remains fully responsible for ensuring proper installation or repair of the HVAC-R equipment being worked on, and you remain fully responsible for any injury or property, system or equipment damage which may result from your installation. ©2023 Daikin Comfort Technologies North America, Inc., all rights reserved; recording, copying, or distribution of this material is prohibited without express written permission from Daikin.



## Wireless Setup: Connecting to WiFi and Daikin One Cloud

## Connecting to WiFi


The Daikin One Cloud Services app is needed to configure the WiFi settings of this thermostat.

From the primary display, holding the FAN button for 5 seconds will enter wireless setup mode.

Press FAN from any screen to return to the first wireless setup screen.

At any time pressing the MODE button for 2 seconds will return the thermostat UI to the primary screen.

At the end of each setting menu sequence the thermostat will return to the primary screen.



FSD cycles through the following until a button is pressed:

JAIK IN

ONE

LOUI

SETUP

{cloud connect code}

FSD cycles through the following until a button is pressed:
JIFIKIN
ONE
CLOUD
SETUP
LINKED

## DAIKIN